


# AIRCRETE BLOCKS

## Technical Datasheet

### 100mm / 3.6N/mm<sup>2</sup> Blocks

V1 14/24



Crest Porit AAC masonry units category 1 for loadbearing and non-loading masonry walls, columns and partitions.

### 100mm / 3.6N/mm<sup>2</sup> Blocks

Block Size	Width: 100mm - Length: 624mm - Height: 215mm
Compressive Strength	3.6N/mm <sup>2</sup>
Thermal Conductivity	0.15W/m.K
Gross Density	600 kg/m <sup>3</sup>
Reaction to Fire	Euroclass A1
Blocks/m <sup>2</sup> Laid	7 (with 10mm joints)
Blocks Per Pack	90
Blocks Per Load	2,520



EN 771- 4:2011+A1:2015 Certificate of Factory Production Control (No.: CIRPB- 5086638010-1)  
Issued by Qualitätsgemeinschaft Mauerwerksprodukte eV Notified Body 0839

Crest reserve the right to change designs without notice.

All products are subject to availability and our standard conditions of sale which are available on request.

## Visit our showroom

Howdenshire Way, Knedlington Road  
Howden, East Yorkshire. DN14 7HZ

☎ 01430 432667

✉ [info@crest-bst.co.uk](mailto:info@crest-bst.co.uk)

🌐 [crest-bst.co.uk](http://crest-bst.co.uk)

**crest**  
BUILDING PRODUCTS